SINGER
95K10,K11

Form K3600 Rev.
(Sup. K2227)
May, 1933

Illustrated List of Parts

FOR

Nos. 95K10 and 95K11 Machines



The Singer Manufacturing Company


86005
3/4"
20
86008
1 1/4"
30
85447
86010
1 1/2"
85448
NN40


85700
85597
85699
85706
85701
85705
SS50
85325
85707


85712
85603
85605
85606
85701
85713
85706
85604
85711
85705
85325
SS50


85873
9½"
85874
85875
85412
SS 44
26764
26763
19066
19067


85869
85868
85870
85896


85697
85698
85693
85696
SS50
85321
85884
85886
85885
85882


85691
85320
85686
85321
85692
85690
85684
85685
85683
85682
85339
85325
207


85680
85681
85678
85679
85458
85459
85462
85460
176
85325


85864
85866
85846
85842
85865
85844
85867
85843
86178
86193
86180
85877


85897
86025
86025
86025
86025
85955
85881
86182
85877


86043
86042
86041
86188


84789
2763
101"
2778
6337
2766
2770
2765
97502
16510
2767


20132
20124
20117
20143
20142
20148
20147


20152
20151
20160
20159
20326
20325


20162
20139
20138
20190
12369
12457
20135
12450
20348


52033
52031


20163
20123
20164


52014
24040
24041
794
207
52013
1133
29532
52021
775
1037
1036
52022
52023
11204
52024
52026
857


20346
20270
20474
20346
20118
20270
20474
20118


20150
20342
52036
20361
20150
20342
52036
20361


12261
12143
12144
12260
12261
12143
12144
12260


12435
20157
12335
12435
20343
20157
12335
20343


9261
24107
24106
970
5601
5735
12416
12240
12241
8879

24108



24079




25878
25873


35517
35518
36392
36389
35525


24037
12430
12391
11167
52028
4307
24035
5598
5596
5599
52015
24036
5/34


52141
52068
52065
52070
52062
52063
52078
52059


52005
52052
52452
12193
12432
52151
52072
12480


41592
60845
41585
41591
41587
41913
41586
41583
41914
34105
41588
42614


36387
35510
36391


52338
12329
12398
43944
12327
453
41593
41594
41595
223
52337
52016
689
11170
12240
1520
12241
12416
8879


35513
35515
35511
1426
1657
35512
17718
35514
402
287
423
1115
1510
1520
307
1513
803
35524
1177
9
50134
36393
36390


52083
2102
32572
2455
12376
3033
12454
18130
24131
52082
52018
52027
29633
50304
52045
32574
7958
13710
26231


36569
36571
SINGER
25537
120378
SINGER
25878


24546
35528
36654
40322
40315
86479
56006
86478
86417
44144


52443
52121
52090
40264
40274
40395
52073
40392
40409
40394
2974
2975
12403
29599
1813
16532
26276
7298
2532


56106
56100
56107
56099
52074
52060
56101
56013
52454
52084
56015
54897
25446
52053
56086


SS28
SS54
SS65
SS182
76
102
116
121
144
157
158
171
178
185
190
210
219
226
228
233
286
313
316
356
375
393
432
435
446
448
457
460
591
592
688
691
701
704
725
732
759
766


802
813
858
868
879
880
966
1053
1065
1128
1143
1148
1149
1253
1367
1380
50053
50083
50117
50190
50191
50234
50305
200363
200383
NN41
1518
1519
1521
1547
1560


12462
12463
20134
20361
12462
12463
20134
20361


225396
225391
225391
225324
225388
225325
202490


41347
41341
41342
41340
41339
11241
27308
27307


27306
41343
9331
41346
41344
41345
1429
207
1430
152
200
1550
2106
418
2455
10141
1562


52129
52477
52473
3146
21351
52137
36575
36574
36576
180
284
1299
624
50202


86546
86539

CONTENTS.

	Page
Parts, complete, for 95K10 Machine	57
Parts, special to 95K11 Machine	65
Accessories	66
Attachments	67
Bobbin Winders	76
Iron Base	66
Knee Lifter	78
Numerical List of Parts	81
Spool Holder	66
Thread Unwinder	79

Instructions for Ordering

In ordering from this List, the prefix and affix letters with the part number **MUST BE** quoted exactly as they are shown in the first column.

A number always indicates the same part in whatever List it may appear, or for whatever machine.

The prefix *SS* indicates Screws made only at Singer.
" " *NN* " Nuts made only at Singer.
" " *RR* " Rollers and Studs made only at Singer.

The affix letters (where shown) indicate the style of finish, as follows :

A. Hardened, Polished, Nickel Plated and Buffed.
B. Polished, Nickel Plated and Buffed.
C. Hardened only.
D. Polished only.
E. Soft, not Polished.
F. Hardened and Polished.
H. Blued.
J. Nickel Plated only.
K. Hardened and Nickel Plated.
L. Brass Plated.
M. Oxidized.
N. Japanned, Dull.
P. Japanned, Bright.
R. Merlized.
T. Copper Plated.
T.A. Hardened, Polished, Copper and Nickel Plated and Buffed.
T.B. Copper and Nickel Plated and Polished.
T.J. Copper and Nickel Plated only.
T.K. Hardened, Copper and Nickel Plated.
T.L. Copper and Brass Plated.
T.M. Copper Plated and Oxidized.
U. Zinc Plated.
V. Silver Plated.
W. Polished and Nickel Plated.
Y. Black Nickel Plated only.
Z. Chromium Plated.
Z.B. Polished, Nickel Plated, Buffed and Chromium Plated.
Z.J. Nickel and Chromium Plated.

In this series

1 to 1500 and 50001 to 51500 are Screw Numbers.
1501 " 1800 are Nut Numbers.
1801 " 2000 are Roller Numbers.
2001 " 50000 are Numbers of Machine Parts, etc.
80001 " 100000 are Numbers of Machine Parts, etc., made only at Singer.
120001 " 190000 are Numbers of Machine Parts, etc.
190001 " 200000 are Numbers of Electrical Parts.
700001 and upwards are Numbers of Electrical Parts.

Parts marked with an asterisk (*) are furnished only when the repairs are made at Factory.

PARTS COMPLETE

FOR

No. 95K10 Machine

For Light and Medium Weight Fabrics, Maximum Stitch 7 to the inch. Drop Feed.

NOTE.—Due to the accuracy required for Gear alignment, Arm cannot be supplied separately and can only be sent out as a unit, Arm and Bed assembled.

No.	Plate	
*52077		**Arm** with 15401, two each 15405 and 56015 ... ...
16532	1322	" Dowel Pin (2) ... ...
24131	1318	" Oil Tube with 52045 for oiling 24036 ... ...
52084	1323	" " " " 52045 " " 24040 ... ...
18130	1318	" " " " 52045 " " 52022 ... ...
12454	1318	" " " " 52045 " " 52024 ... ...
52148		" " " ... ...
52149		" " " 52148 with 52150 ... ...
52150		" " " Packing (braided cotton) ... ...
52045	1318	" " " Packing (cotton wick) ... ...
116c	1324	" Screw (back) (2) ... ...
868c	1325	" " (front) (2) ... ...
52141	1312	" Shaft (horizontal) ... ...
52059	1312	" " (") Flanged Bushing (back) ... ...
52045	1318	" " (") " " (") Oil Pad (cotton wick)
446c	1324	" " (") " " (") Set Screw ...
52078	1312	" " (") " " (front) ... ...
52045	1318	" " (") " " (") Oil Pad (cotton wick)
435c	1324	" " (") " " (") Set Screw ...
52060	1323	" " (") Gear with two 1036c ... ...
52151	1313	" " (") " Case (two pieces) with 121c ...
121c	1324	" " (") " " Screw ... ...
1036c	969	" " (") " Set Screw ... ...

52042	—	**Arm Top Cover**	
52043	—	" " " 52042 with 12403 and 24131	
158d	1324	" " " Screw	

NOTE.—No. 41592 is supplied with this machine unless No. 52043 is specified on order.

No.	Plate	
1448	1324	**Arm** Shaft (horizontal) Screw ... ...
52062	1312	" " (upright) ... ...
56099	1323	" " (") Bushing (lower) ... ...
432c	1324	" " (") " (") Set Screw ... ...
56100	1323	" " (") " (upper) ... ...
1149c	1325	" " (") " (") Set Screw ... ...
56013	1323	" " (") Gear (lower) with two 1253c ... ...
1253c	1325	" " (") " (") Set Screw ... ...
56101	1323	" " (") " (upper) with two 1253c ... ...
1253c	1325	" " (") " (") Set Screw ... ...
56015	1323	" " (") Oil Tube (lower) ... ...
56015	1323	" " (") " " (upper) ... ...
~~51895~~	~~1325~~	" " Front Bearing Oil Cup ... ...
12480	1313	" Side Cap ... ...
219d	1324	" " " Screw ... ...
12193	1313	" " Cover ... ...
50053d	1325	" " " Thumb Screw ... ...
12403	1322	" Spool Pin ... ...
41591	1314	" Top Cover Tension Bracket with 460c ... ...
24131	1318	" " " " " Oil Tube with 52045 ...
52045	1318	" " " " " " " Packing (cotton wick)
180d	1770	" " " " " Screw ... ...
12403	1322	" " " " " Spool Pin ... ...
8879	980	" " " " " " " Washer (Cloth) ...
2455	1318	" " " " Disc ... ...
41593	1316	" " " " Spring ... ...
41594	1316	" " " " Stud ... ...
460c	1324	" " " " " Set Screw ... ...
41595	1316	" " " " Thread Guide ... ...
41592	1314	**Arm Top Cover Tension Bracket,** complete, Nos. 12403, 24131, 41591, 41593 to 41595 and two 2455 ... ...
52005	1313	**Balance Wheel** (power) light rim, $2\frac{3}{16}$" pulley, with two 448c
52081		" " (stand) heavy rim, $2\frac{11}{16}$" pulley, with two 448c
52063	1312	" " Oil Cover ... ...
210d	1324	" " " " Screw ... ...
448c	1324	" " Set Screw ... ...
*52064	- -	**Bed** ... ...
12431	- -	" Slide ... ...
12432	1313	**Bed Slide,** complete, Nos. 4307, 12431 and two 725c ... ...
4307	1311	" " Spring ... ...
725c	1324	" " " Screw ... ...
52051	-	**Face Plate** ... ...
52052	1313	**Face Plate,** complete, Nos. 52051, 52053, 56086 and two 226d ...
190d	1324	" " Screw ... ...
52053	1323	" " Thread Guard (lower) ... ...

NOTE.—Due to the accuracy required for Gear alignment, Bed cannot be supplied separately and can only be sent out as a unit, Arm and Bed assembled.

NOTE.—No. 52005 is supplied with this machine unless otherwise specified on order.

No.	Plate	
226d	1324	**Face Plate** Thread Guard (lower) Screw ... ...
56086	1323	" " " " (upper) ... ...
226d	1324	" " " " (") Screw ... ...
501906d	1325	" " Thumb Screw ... ...
52152	1313	**Feed Bar** ... ...
313c	1324	" " Screw Centre (2) ... ...
1519c	1325	" " " " Nut (2) ... ...
3033	1318	**Feed Connecting Link** ... ...
375c	1324	" " " Hinge Screw ~~(2)~~ ... ...
1518c	1325	" " " " Nut ~~(2)~~ ... ...
52073	1322	" " " Stud ... ...
50083c	1325	" " " " Set Screw ... ...
52031	967	**Feed Dog** for shirt work ... ...
11111	1321	" " bevelled for hemmer, 22 teeth (24 teeth to the inch)
20162	966	" " for shirt work, bevelled for hemmer, 17 teeth (18 teeth to the inch)
12369	966	" " cloth, 12 teeth (12 teeth to the inch) ... ...
12450	966	" " " 11 (18 " " " " ... ...
12457	966	" " " 16 (16 " " " " ... ...
11177		" " 19 teeth (22 teeth to the inch) ... ...
20348	966	" " for chiffon, 22 teeth (36 teeth to the inch) ... ...
20117	964	" " shirt work, bevelled for hemmer, 16 teeth (16 teeth to the inch)
20132	964	" " " " " " " " 22 teeth (22 teeth to the inch)
20138	966	" " " " " " " " 13 teeth (12 teeth to the inch)
20142	964	" " " general work, 13 teeth (16 teeth to the inch) ... ...
20147	964	" " 12 teeth (14 teeth to the inch) ... ...
20151	965	" " for shirt work, bevelled for hemmer, 13 teeth (14 teeth to the inch)
20159	965	" " " " " ... ...
20325	965	" " ... ...
501176	1325	" " Screw ... ...

NOTE. No. 52031 is sent with this machine unless another Feed Dog is specified on order.

52137	1770	**Feed and Feed Lifting Eccentric** with 448c and 1299c ...	
1299c	1770	" " " " " Position Screw	
448c	1324	" " " " " Set Screw	
24036	1311	" " " " " Sleeve	
24037	1311	**Feed Forked Connection**	
375c	1324	" " " Hinge Screw	
1518c	1325	" " " " " Nut	

No.	Plate	
52036	971	**Presser Foot** (hinged), complete, Nos. 26276, 52034 and 52035, for 52031 ... ...
62527	...	**Presser Foot** Hinge Pin ... ...
24544	...	" " Plate ... ...
24982	...	" " Shank ... ...
26231	1318	" " Spring ... ...
24983	...	**Presser Foot** (spring hinged), complete, Nos. 24544, 24982, 26231 and 62527 for 52031 ... ...
190d	1324	**Presser Foot Screw** ... ...
		NOTE.—No. 24983 is sent with this machine unless another Presser Foot is specified on order.
688j	1324	**Pressure Regulating Thumb Screw** ... ...
52121	1322	**Rotating Hook** with three 1253c ... ...
52123	...	" " 52121, with 52090 and four 1053c ... ...
52089	...	" " 52123, " 40274 and three 1367d ... ...
52478	...	" " 52089, " 52474 ... ...
40264	1322	" " Bobbin ... ...
52472	...	" " " Case ... ...
52481	...	" " " " 52472, with 591f, 1380d and 40394
40392	1322	" " " " Latch ... ...
40409	1322	" " " " " Lever ... ...
2974	1322	" " " " " " Fulcrum Pin ...
2975	1322	" " " " " Spring ... ...
592c	1324	" " " " " Stop Screw ... ...
40393	...	" " " " Hinge, Nos. 2974, 40392 and 40409
591f	1324	" " " " Tension Regulating Screw ...
40394	1322	" " " " " Spring ... ...
1380d	1325	" " " " " " Screw ... ...
52473	1770	" " " " complete, Nos. 592c, 2975, 40393 and 52481
52474	...	" " " " 52473, with 52477 ... ...
52477	1770	" " " " Holder, with 52475 and two 52476
52018	1318	" " " " " Position Bracket ...
704j	1324	" " " " " " " " Screw ...
*52475	...	" " " " Locating Plate ... ...
*52476	...	" " " " " " Rivet ... ...
40274	1322	" " Section ... ...
1367d	1325	" " " Screw ... ...
1253c	1325	" " Set Screw ... ...
52070	1312	" " Shaft ... ...
56106	1323	" " " Bushing (back) ... ...
52045	1318	" " " " (") Packing (Cotton) ...
1143c	1325	" " " " (") Set Screw ... ...
56107	1323	" " " " (front) ... ...
52045	1318	" " " " (") Packing (Cotton) ...

No.	Plate	
1148c	1325	**Rotating Hook** Shaft Bushing (front) Set Screw ... ...
54897	1323	" " " Front Bearing Oil Cup ... ...
56013	1323	" " " Gear with two 1253c ... ...
52072	1313	" " " " Case (two pieces), with 121c and 50234d
50234d	1325	" " " " " Plug Screw ... ...
121c	1324	" " " " " Screw ... ...
1253c	1325	" " " " Set Screw ... ...
52090	1322	" " Thread Guard ... ...
1053c	1325	" " " " Screw ... ...
52337	1316	**Slack Thread Regulator** ... ...
223c	1316	" " " Set Screw ... ...
2102	1318	**Tension Disc** ... ...
1560c	1325	" Regulating Thumb Nut ... ...
32572	1318	" Releasing Disc ... ...
43944	1316	" " Lever ... ...
12398	1316	" " " Hinge Pin ... ...
12329	1316	" " " Spring ... ...
32574	1318	" " Pin ... ...
13710	1318	" Spring ... ...
50304c	1318	" Stud ... ...
50305c	1325	" " Set Screw ... ...
52092	...	**Tension,** complete, Nos. 1560c, 13710, 32572, 32574, 50304c, 52082, 52083 and two 2102 ... ...
52026	969	**Thread Eyelet** for 52013 ... ...
52027	1318	**Thread Guard** (side of arm) ... ...
52151	1323	**Thread Retainer** ... ...
624c	1770	" " Set Screw ... ...
52021	969	**Thread Take-up Crank** ... ...
52143	...	" " " 52021 with 775c and 24894 ...
1037c	969	" " " Position Screw ... ...
1036c	969	" " " Set Screw ... ...
52022	969	**Thread Take-up Lever** with 52130 ... ...
52023	969	" " " Hinge Pin ... ...
52024	969	" " " Link ... ...
11204	969	" " " " Hinge Pin ... ...
435c	1324	" " " " " " Set Screw ... ...
52130	...	" " " Thread Eyelet Bushing ... ...
52025	...	**Thread Take-up Lever,** complete, Nos. 52022 to 52024 ...

No.	Plate	
52082	1318	**Thread Take-up Spring** ... ...
52083	1318	" " " Regulator with 50305c ... ...
448c	1324	" " " " Set Screw ... ...
52054	- -	**Thread Take-up,** complete, Nos. 11204, 52025 and 52143 ...
20139	966	**Throat Plate,** large needle hole, for 20138 and 20162 ...
20140	- - -	" " small " " " 20138 " 20162 ...
20190	966	" " large " " " 12369 " 12457 ...
20191	- -	" " small " " " 12369 " 12457 ...
20135	966	**Throat Plate,** large needle hole, for 12450 and 20348 ...
20136		" " small " " " 12450 " 20348 ...
20124	964	" " large " " " 20117 " 20132 ...
20125	-	" " small " " " 20117 " 20132 ...
20143	964	" " large " " " 20142 ... ...
20144	- -	" " small " " " 20142 ... ...
20148	964	" " large " " " 20147 and 44177 ...
20149		" " small " " " 20147 " 44177 ...
20152	965	" " large " " " 20151 " 44111 ...
20153		" " small " " " 20151 " 44111 ...
20160	965	" " large " " " 20159 ... ...
20161	-	" " small " " " 20159 ... ...
20326	965	" " large " " " 20325 ... ...
20327	- -	" " small " " " 20325 ... ...
52032	- -	" " large " " " 52031 ... ...
52033	967	" " small " " " 52031 ... ...
6911f	1324	" " Screw (2). 10/33

NOTE. 52033 is sent with this machine unless another Throat Plate is specified on order.

*15404	-	**Trade Mark** ... ...
15405	- - -	" " Rivet ... ...
24079	983	**Drip Pan,** with four Wood Screws, $\frac{1}{2}$" No. 5 ... .

No. 95K11 Machine

Drop Feed; For Collar and Cuff Work.

This Machine is the same as 95K10 with the following exceptions:

No.	Plate	
20163	968	**Feed Dog,** $\frac{1}{16}$" stitch ... ...
20164	968	" " $\frac{1}{8}$" " ... ...

NOTE. No. 20164 is sent with this machine unless other Feed Dog is specified on order.

21351	1770	**Feed Regulator** Thumb Screw Stop ... ...
25873	985	**Guide** (combination) ... ...
284d	1770	" Thumb Screw ... ...
3146	1770	" " " Washer ... ...
12435	973	**Presser Foot** with 228d ... ...

NOTE. No. 12435 is sent with this machine unless another Presser Foot is specified on order.

12462	1519	**Presser Foot,** $\frac{3}{16}$" gauge and above ... ...

NOTE. When ordering No. 12462 give width of turned edge from seam.

12463	1519	**Presser Foot** with Strip Guide ... ...
12335	973	" " (narrow) ... ...
20133		" " Plate ... ...
19223		" " Shank ... ...
20134	1519	**Presser Foot** (hinged), complete, for $\frac{3}{16}$" gauge and above, Nos. 19223, 20133 and 26276 ... ...

NOTE. When ordering No. 20134 give width of turned edge from seam.

20155		**Presser Foot** Plate ... ...
20156		" " Shank ... ...
20157	973	**Presser Foot** (hinged), complete, Nos. 228d, 2532, 20155 and 20156 ... ...
20343	973	**Presser Foot** with Guide on bottom to the right of Needle Hole
20360		**Presser Foot** Plate ... ...
19335		" " Shank ... ...
20361	1519	**Presser Foot** (hinged), plain bottom, complete, Nos. 19335, 20360 and 26276 ... ...
36574	1770	**Presser Foot** ... ...
36575	1770	" " 36574, with 36576 and two 50202d ... ...
36576	1770	" " Finger Guard ... ...
50202d	1770	" " " " Screw ... ...
20123	968	**Throat Plate** for 20163 and 20164 ... ...

IRON BASE

No.	Plate	
24106	980	**Bed Frame Cushion** (Felt) ... ...
158c	1324	" " " Screw ... ...
24107	980	" " Hinge Connection ... ...
9261	980	" " " " Pin ... ...
970d	980	" " Thumb Screw ... ...
24108	982	**Bed Frame,** with 970d, two each 9261, 24107, four each 158c, 24106 and six Wood Screws 1¼" No. 10 ... ...

ACCESSORIES

No.	Plate	
40264	1322	**Bobbin** (5) ... ...
36569	1319	**Oiler** with 36571 ... ...
36570	-	" 36569, filled with Oil ... ...
36571	1319	" Spout, 1¾" long ... ...
25537	1319	**Screw Driver** (large) ... ...
120378	1319	" " (small) ... ...

SPOOL HOLDER (Disc)

FOR 95K11 MACHINE

No.	Plate		
26763	200	**Bracket** with 219f and ~~2874~~ 922D	5/34
219f	1324	" Screw	
922D ~~2874~~	~~1347~~	" Thumb Screw	5/34
19066	200	**Spindle**	
19067	200	" Thread Guiding Disc	
691f	1324	" " " " Screw	
26764	200	**Spool Holder,** complete, Nos. 691f, 19066, 19067 and 26763 ...	

ATTACHMENTS

BINDERS

When ordering Binders send sample of the Binding and of the Material to be bound.

BINDER for Cap Peak Work

No.	Plate	
85678	559	**Feed Dog** ... ...
85459	559	**Folder Base** ... ...
85460	559	" (top) ... ...
207d	558	" (") Binding Screw ... ...
85461	- -	" (bottom) ... ...
SS50d	186	" (") Binding Screw ... ...
85462	559	**Folder Roller Guide,** complete, Nos. 701d, 85463 and 85464
85463		" " " Bracket ... ...
85464		" " " Roller ... ...
701d	1324	" " " " Screw ... ...
SS50d	186	" " " Binding Screw ... ...
176d	559	" Screw (to fasten to machine) ... ...
85325	186	" " Washer ... ...
85458	559	**Folder,** complete, Nos. 85459 to 85462, two 207d and four SS50d
85679	559	**Presser Foot** ... ...
85680	559	**Throat Plate** ... ...
85681	559	**Binder,** complete, Nos. 85458, 85678 to 85680, two each 176d and 85325 ... ...

BINDER for Cardigan Jackets

No.	Plate	
85682	558	**Feed Dog** ... ...
85336		**Folder Base** ... ...
85337		" Folding Plate (top) ... ...
85338		" " " (bottom) ... ...
233d	1324	" " " Screw for 85337 and 85338 ... ...
SS50d	186	" Screw ... ...
85325	186	" " Washer ... ...
85335		" complete, Nos. 85336 to 85338, and four 233d ... ...

No.	Plate	
85683	558	**Presser Foot** ... ...
85324		**Tape Tension Pin** (bent) ... ...
85323		" " " (straight) ... ...
85340		" " Plate ... ...
85339	558	" " complete, Nos. 85324, 85340 and four 85323 ...
207d	558	" " Screw ... ...
85325	186	" " " Washer ... ...
85684	558	**Throat Plate** ... ...
85685	558	**Binder,** complete, Nos. *SS*50d, 207d, 85335, 85339, 85682 to 85684 and two 85325 ... ...

BINDER, $\frac{1}{2}$", for General Work

No.	Plate	
85686	558	**Feed Dog** ... ...
85320	558	**Folder** ... ...
*SS*50d	186	" Screw ... ...
85325	186	" " Washer ... ...
85687		**Presser Foot Bracket** ... ...
85688		" " " Hinge Pin ... ...
85689		" " Sole ... ...
85690	558	" " (hinged), complete, Nos. 85687 to 85689 ...
85324		**Tape Tension Pin** (bent) ... ...
85323		" " " (straight) ... ...
85322		" " Plate ... ...
85321	557	" " complete, Nos. 85322, 85324 and eight 85323 ...
*SS*50d	186	" " Screw ... ...
85325	186	" " " Washer ... ...
85691	558	**Throat Plate** ... ...
85692	558	**Binder,** complete, Nos. 85320, 85321, 85686, 85690, 85691, two each *SS*50d and 85325 ... ...

BINDER, $\frac{1}{2}$", for Stay Work

No.	Plate	
85693	557	**Feed Dog** ... ...
85614		**Folder** ... ...
*SS*65d	1324	" Screw ... ...
85694		**Presser Foot Bracket** ... ...
85616		" " " Hinge Pin ... ...
85695		" " Sole ... ...
85696	557	" " (hinged), complete, Nos. 85616, 85694 and 85695
85324		**Tape Tension Pin** (bent) ... ...
85323		" " " (straight) ... ...
85322		" " Plate ... ...
85321	557	" " complete, Nos. 85322, 85324 and eight 85323 ...
*SS*50d	186	" " Screw ... ...
85325	186	" " " Washer ... ...
85697	557	**Throat Plate** ... ...
85698	557	**Binder,** complete, Nos. *SS*50d, *SS*65d, 85321, 85325, 85614, 85693, 85696 and 85697 ... ...

BINDER, $\frac{1}{2}$", for Stay Work

No.	Plate	
85699	186	**Base** ... ...
85597	186	**Binder** ... ...
85324		**Tape Tension Pin** (bent) ... ...
85323		" " " (straight) ... ...
85700	186	**Binder and Tension** only, complete, Nos. 85324, 85597, 85699 and nine 85323
*SS*50d	186	" Screw ... ...
85325	186	" " Washer ... ...
85701	186	**Feed Dog** ... ...
85702		**Presser Foot Bracket** ... ...
85703		" " " Hinge Pin ... ...
85704		" " Sole ... ...
85705	186	" " (hinged), complete, Nos. 85702 to 85704 ...
85706	186	**Throat Plate** ... ...
85707	186	**Binder,** complete, Nos. *SS*50d, 85325, 85700, 85701, 85705 and 85706 ... ...

BINDER, FOLDER and TENSION, $\frac{3}{16}$", for Stay Work

No.	Plate	
85711	187	**Base** ... ...
85603	187	**Binder** ... ...
85604	187	**Folder** ... ...
207d	558	" Screw ... ...
85325	186	" " Washer ... ...
85605	187	**Tape Guide** ... ...
85606	187	" " Bracket ... ...
207d	558	" " " Screw ... ...
85325	186	" " " " Washer ... ...
207d	558	" " Screw ... ...
85325	186	" " " Washer ... ...
85607	--	" Tension Pin ... ...
85712	187	**Binder Folder and Tension** only, complete, Nos. 85603 to 85606, 85711, three each 207d, 85325 and seven 85607 ...
*SS*50d	186	**Binder Screw** ... ...
85325	186	" " Washer ... ...
85701	186	**Feed Dog** ... ...
85702	--	**Presser Foot Bracket** ... ...
85703		" " " Hinge Pin ... ...
85704	--	" " Sole ... ...
85705	186	" " (hinged), complete, Nos. 85702 to 85704 ...
85706	186	**Throat Plate** ... ...
85713	187	**Binder,** complete, Nos. *SS*50d, 85325, 85701, 85705, 85706 and 85712 ... ...

BRAIDER FOOT (Long Shank, Adjustable)

No.	Plate	
86179	--	**Braider Foot** ... ...
86176	--	" " Guide (Wire) ... ...
*SS*182d	1324	" " " Screw ... ...
86180	560	**Braider Foot,** complete, Nos. 86179, two each *SS*182d and 86176
86178	560	**Braider Foot** ... ...

CORDERS

When ordering state Size or No. of Cords to the inch.

CORDER (adjustable), for Fine Cording

No.	Plate	
85842	560	**Base** ... ...
85843	560	**Finger Arm** ... ...
85844	560	" " Adjustable Bracket ... ...
85845	--	" " " " Block ... ...
393c	1324	" " " " " Screw ... ...
316e	1324	" " " " Centre Screw ... ...
1547d	1325	" " " " " " Nut ... ...
*NN*41d	1325	" " " " Thumb Nut ... ...
500535 ~~2061~~ D	~~1324~~	" " " " " Set Screw ... ...
85846	560	**Corder** only, complete, Nos. *NN*41d, ~~2061~~ 500537 D, 393c, 85842 to 85845, two each 316e and 1547d ... ...
85864	560	**Feed Dog** ... ...
85865	560	**Presser Foot** ... ...
85866	560	**Throat Plate** ... ...
85867	560	**Corder,** complete, Nos. *SS*50d, 85846 and 85864 to 85866 ...
*SS*50d	186	**Corder Screw** (to fasten to machine) ... ...

CORDER (Bow), for Top Cording

No.	Plate	
85868	201	**Corder Bow** ... ...
85869	201	**Presser Foot** ... ...
759d	1324	" " Thumb Screw ... ...
85870	201	**Corder (Bow),** complete, Nos. 759d, 85868 and 85869 ...

CORDER for Top Cording

No.	Plate	
85783	—	**Base**
85871	—	**Guide Finger** with 85414, 85872 and two 85416
*SS*28b	1324	" " Adjusting Screw
85414	—	" " Eyelet
85413	—	" " Hinge Pin
879d	1325	" " Locking Thumb Screw
85872	—	" " Tip
85416	—	" " " Rivet
85873	200	**Corder** only, complete, Nos. *SS*28b, 879d, 85413, 85783 and 85871
85874	200	**Presser Foot**
85875	200	**Corder,** complete, Nos. *SS*44d, 85412, 85873 and 85874
*SS*44d	200	" Screw (to fasten to machine)
85412	200	" " Washer

CORDER GUIDE (Adjustable)

No.	Plate	
85382	—	**Extension Guide**
228d	1324	" " Screw
85876	—	**Presser Foot**
85877	560	**Corder Guide,** complete, Nos. 228d, 85382 and 85876
85881	562	**Cording and Hemming Foot**
86182	562	**Cording Foot** (grooved on right side)

CRIMPING SET

No.	Plate	
85882	557	**Feed Dog**
85883	—	**Presser Foot**
85391	—	" " Spring
219d	1324	" " " Screw
85884	557	" " complete, Nos. 219d, 85391 and 85883
85885	557	**Throat Plate**
85886	557	**Crimping Set,** complete, Nos. 85882, 85884 and 85885

FELLING FEET

No.	Plate	
85896	201	**Felling Foot,** $\frac{3}{16}$″ Fell
85897	562	" " (Steel), $\frac{3}{16}$″ Fell

FINGER GUARD

No.	Plate	
86417	1321	**Finger Guard**
102d	1324	" " Binding Screw
86478	1321	" " Bracket with 207f
207f	558	" " " Screw
86479	1321	**Finger Guard,** complete, Nos. 102d, 86417 and 86478

GATHERING FEET

No.	Plate	
85955	562	**Gathering Foot**
86193	560	" " (slotted)

HEMMERS

No.	Plate	
86005	88	**Hemmer,** $\frac{3}{16}$″ to $\frac{7}{8}$″ in grades of $\frac{1}{16}$″
86008	88	" 1″ to 1¼″, in grades of $\frac{1}{8}$″
86010	88	" 1⅜″ and 1½″
85447	88	" Base with *SS*54e
*SS*54e	1324	" " Stud Screw
*NN*40d	88	" " " " Thumb Nut
85448	88	" " " " " " Washer
85446		**Hemmer Base,** complete, Nos. *NN*40d, 85447 and 85448

Flat Sole

No.	Plate	
86537		$\frac{1}{16}$″
86538		$\frac{3}{32}$″
86539	1931	$\frac{1}{8}$″
86540		$\frac{5}{32}$″
86541		$\frac{3}{16}$″
86542		$\frac{7}{32}$″
86543		$\frac{1}{4}$″

Flat Sole, with Groove

No.	Plate	
86544	—	$\frac{1}{16}$″
86545	—	$\frac{3}{32}$″
86546	1931	$\frac{1}{8}$″
86547	—	$\frac{5}{32}$″
86548	—	$\frac{3}{16}$″
86549	—	$\frac{7}{32}$″
86550	—	$\frac{1}{4}$″
86025	562	**Hemmer Foot,** $\frac{1}{16}$″ to $\frac{9}{32}$″ hem, in grades of $\frac{1}{32}$″

PRESSER FOOT

No.	Plate	
86188	958	**Presser Foot** (narrow), for narrow tucking

QUILTER

No.	Plate	
86041	958	**Clamp** with 207d
207d	558	" Screw
86042	958	**Rod**
86043	958	**Quilter,** complete, Nos. 86041 and 86042

TUCKERS (Long Arm)

No.	Plate	
36387	1315	**Space Guide**
35510	1315	" " Base with 35512, 35514 and two 1426e
402d	1317	" " " Screw
35511	1317	" " Indicator
35512	1317	" " Pin
35513	1317	" " Stop (left)
35514	1317	" " " (") Guide Pin
1426e	1317	" " " (") Screw Stud
1657d	1317	" " " (") Thumb Nut
17718	1317	" " " (") " " Washer
35515	1317	" " " (right)
1426e	1317	" " " (") Screw Stud
1657d	1317	" " " (") Thumb Nut
17718	1317	" " " (") " " Washer
50053D ~~207d~~	~~1317~~	" " Thumb Screw 50053D 5/34 "
36388	—	**Space Guide,** complete, Nos. ~~2074~~ 35510, 35511, 35513, 35515, 36387, two each 1657d and 17718

No.	Plate	
35517	1309	**Tuck Guide Arm**
1177d	1317	" " " Screw
35518	1309	" " Base
50134e	1317	" " " Screw Stud
36389	1309	" " Bracket
307c	1317	" " " Screw Centre
1513j	1317	" " " " " Nut
36390	1317	" " " Spring
36391	1315	" " " " Plate
9d	1317	" " " " Screw
423c	1317	" " " Stop Screw
1520r	1317	" " " " " Nut
36392	1309	" " Frame
6393	1317	" " " Spring
1510e	1317	**Tuck Guide** Frame Spring Nut
35524	1317	" " " " Washer
803c	1317	" " " Stop Screw
1520r	1317	" " " " " Nut
35511	1317	" " Indicator
35525	1309	" " Plate
1115f	1317	" " Screw
36394	—	**Tuck Guide,** complete, Nos. 9d, 423c, 803c, 1510e, 35511, 35517, 35518, 35524, 35525, 36389 to 36393, 50134e, two each 307c, 1115f, 1177d, 1513j, 1520r and three Wood Screws 1¼″ No. 10
36395	—	**Tucker** (long arm), complete, Nos. 35528, 36388, 36394 and two 402d
52031	967	**Feed Dog** for shirt work
35528	1321	**Presser Foot** (wide) for 36395
40322	1321	" " (narrow) for 36395
36654	1321	" " for tucking shirt bosoms, for 36670
52032		**Throat Plate,** large needle hole, for 52031
52033	967	" " small " " " 52031
36670	—	**Tucker** (long arm), complete, for tango tucking, Nos. 36388, 36394, 36654 and two 402d

BOBBIN WINDERS

BOBBIN WINDER

(Swinging Automatic, Left Hand) for 40264

No.	Plate	
41913	1314	**Bracket** with 457c ... ...
41583	1314	**Frame** with 457c ... ...
34105	1314	" Hinge Pin ... ...
457c	1324	" " " Set Screw ... ...
41914	1314	" Spring ... ...
41585	1314	**Pulley** with 171d ... ...
171d	1324	" Set Screw ... ...
41586	1314	**Spindle** ... ...
41587	1314	**Stop Latch** ... ...
42614	1314	" " Hinge Stud ... ...
457c	1324	" " " " Set Screw ... ...
7958	1318	" " Stop Pin ... ...
41588	1314	" " Tripping Arm with 185h ... ...
185h	1324	" " " " Clamping Screw ... ...
60845	1314	**Bobbin Winder,** Nos. 7958, 34105, 41583, 41585 to 41588, 41913, 41914 and 42614 ... ...
41915	—	**Bobbin Winder,** complete, Nos. 880e, 25446 and 60845 ...
880e	1325	**Bobbin Winder Screw** ... ...
25446	1323	" " " Washer ... ...

BOBBIN WINDER

(Swinging Automatic, Right Hand) for use with Series 800, 900, 1700, 1900 and 2100 Motors.

No.	Plate	
41339	1687	**Base** ... ...
41340	1687	**Frame** ... ...
1429d	1688	" Hinge Screw ... ...
41341	1687	" Spring ... ...
207d	558	" " Screw ... ...
41342	1687	**Pulley** with 200f ... ...
200f	1688	" Set Screw ... ...
41343	1688	**Spindle** ... ...
27306	1688	**Spool Pin** ... ...
27307	1687	" Stand ... ...
†27308	1687	**Spool Stand,** complete, Nos. 418e, 1562j, 2106, 10141, 11241, 27306, 27307, two each 2455 and Wood Screws 1" No. 10 ...
11241	1687	**Spool Washer** (Cloth) ... ...
41344	1688	**Stop Latch** ... ...
41345	1688	" " Finger ... ...
152f	1688	" " " Screw ... ...
1430d	1688	" " Hinge Screw ... ...
1550h	1688	" " " " Nut ... ...
41346	1688	" " Lever ... ...
1430d	1688	" " " Hinge Screw ... ...
2455	1688	**Tension Disc** ... ...
1562j	1688	" Regulating Thumb Nut ... ...
418e	1688	" Screw Stud ... ...
10141	1688	" Spring ... ...
2106	1688	" Thread Guide ... ...
9331	1688	**Washer** ... ...
60456	—	**Bobbin Winder,** Nos. 152f, 207d, 1429d, 1550h, 41339 to 41346 and three 1430d
41347	1687	**Bobbin Winder,** Nos. 60456, two each 9331 and Wood Screws 1" No. 10 R.H.B.
41348	—	**Bobbin Winder** (swinging automatic, right hand), complete, Nos. 27308 and 41347 ... ...

† *As No. 27307 can be supplied either Plated or Japanned, it is necessary, when ordering, to state what is required.*

KNEE LIFTER

No.	Plate	
5596	1311	**Bell Crank** ... ...
5599	1311	" " Bracket ... ...
178e	1324	" " " Screw ... ...
5601	980	" " Hinge Pin ... ...
5735	980	" " Spring ... ...
56848	—	" " 5596 with 5599 and 5601 ... ...
5598	1311	**Bell Crank,** complete, Nos. 5735 and 56848 ... ...
16510	959	**Lifting Lever** with 448c ... ...
52028	1311	" " Connecting Rod ... ...
12416	980	" " " " Joint ... ...
76d	1324	" " " " " Hinge Screw ... ...
1521e	1325	" " " " Lock Nut ... ...
802d	1325	" " Hinge Screw ... ...
12241	980	" " Link ... ...
766d	1324	" " " Hinge Screw ... ...
12240	980	" " Pin ... ...
448c	1324	" " " Set Screw ... ...
2763	959	**Rock Shaft** ... ...
97502	959	" " Bracket ... ...
—	—	" " " Screw (Wood) 1" No. 10 ... ...
2765	959	" " Knee Arm ... ...
2766	959	" " " " Hub with 356c ... ...
356c	1324	" " " " " Set Screw ... ...
2768	—	" " " " 2765 with 2766 and 2767 ... ...
2767	959	" " " Plate with 356c ... ...
356c	1324	" " " " Set Screw ... ...
6337	959	" " Lifting Bracket with two 356c ... ...
2778	959	" " " " Hook ... ...
356c	1324	" " " " " Set Screw ... ...
356c	1324	" " " " Set Screw ... ...
2770	959	" " Stop Dog with 356c ... ...
356c	1324	" " " " Set Screw ... ...
84789	959	**Rock Shaft,** 2763, with 2768, 2770, 2778, 6337, two 97502 and four Wood Screws 1" No. 10 ... ...
84769	—	**Knee Lifter,** complete, Nos. 76d, 766d, 802d, 1521e, 5598, 12240, 12241, 12416, 16510, 52028, 84789 and two 178e ... ...

THREAD UNWINDER

FOR TWO SPOOLS OF THREAD

No.	Plate	
225325	1621	**Spool Rest** with 201018c ... ...
225388	1621	" " Rod ... ...
200383c	1325	" " " Set Screw ... ...
201018c	-	" " Set Screw ... ...
202490	1621	" Stand with 200383c ... ...
225391	1621	**Thread Guide** ... ...
201696j	—	" " Lock Nut ... ...
225326	—	" " Position Cup ... ...
225324	1621	" " Rod with 208c and 225322 ... ...
208c	-	" " " Screw ... ...
225322	-	" " " Washer ... ...
225396	1621	**Thread Unwinder,** complete, Nos. 201696j, 202490, 225324 to 225326, 225388, two 225391 and three Wood Screws $\frac{7}{8}$" No. 12